

Installation using scripts

On this page:

- [Install the Monitoring Node](#)
- [Install TWC/Cassandra \(telemetry\) node](#)
- [Importing the Teamwork Cloud Dashboard into Grafana](#)

Scripts

The following are the script files used in this page:

- [add_twc_monitor.sh](#)
- [install_monitoring_node.sh](#)
- [install_telemetry_node.sh](#)



Scripted installation requires internet access in order to download packages and repository files.

On a single node Teamwork Cloud deployment, you will need to deploy the [install_monitoring_node.sh](#) and [install_telemetry_node.sh](#) files.

On multi-node deployments, you will need to run [install_telemetry_node.sh](#) on each Cassandra node, and activate the monitoring of the Teamwork Cloud node by running the [add_twc_monitor.sh](#) script on the monitoring node, so that Jmxtrans can pull the Teamwork Cloud metrics.

Install the Monitoring Node

Execute the script [install_monitoring_node.sh](#). This script will install InfluxDB, Grafana, and Jmxtrans, configure the firewall to allow traffic from the nodes, configure the InfluxDB databases, configure the first Teamwork Cloud node on Jmxtrans, and configure data sources and users in Grafana.

The script will require additional auxiliary files that are in the [Install Monitoring Node.zip](#) file. The files contained in the [.zip](#) file are used by the [install_monitoring_node.sh](#) script. Once you download and extract the files, make sure to place them in the same directory as [install_monitoring_node.sh](#), so that the script can use these files during its execution.

[Install Monitoring Node.zip](#) contains:

- [twcloud.json.template](#) - TWCloud metrics reading rules for reading correct metrics and storing them into InfluxDB.
- [influxdb.conf](#) - InfluxDB configuration with metrics storing enabled for Monitoring Stack.
- [datasource1.json](#) - InfluxDB Cassandra metrics data source configuration for Grafana.
- [datasource2.json](#) - Telegraf (system) metrics data source configuration for Grafana.
- [datasource3.json](#) - Teamwork Cloud metrics data source configuration for Grafana.
- [datasource4.json](#) - WebApp metrics data source configuration for Grafana.
- [createguest.json](#) - Guest user JSON template.

Install TWC/Cassandra (telemetry) node

Once the monitoring node is deployed, telemetry must be activated for TWC/Cassandra nodes. The [install_telemetry_node.sh](#) script will install Telegraf (to send operating system telemetry) as well as deploy the Dropwizard [metrics-graphite-3.1.2.jar](#) to push Cassandra metrics to the monitoring node.

The script requires the following auxiliary files:


- [telegraf.conf.template](#) - System metrics configuration file (CPU, RAM, Disk, Network metrics rules).
- [metrics-reporter-graphite.yaml.template](#) - Cassandra metrics collector pattern rules and InfluxDB destination address configuration.

When monitoring more than one node, in addition to running the [install_telemetry_node.sh](#) script on the remote node, you will need to run the [add_twc_monitor.sh](#) script on the monitoring mode (where Jmxtrans is installed).


Importing the Teamwork Cloud Dashboard into Grafana

1. Log in to the Grafana dashboard (http://MONITORINGNODE_IP:3000). Default credentials are admin/admin. Upon logging in, you will be prompted to change the admin password.


2. You will be presented with the following screen:



3. Select the option to import a dashboard.



4. To upload .json file, click the **Upload .json File**.



a. Select the provided [Teamwork_Cloud_Dashboard.json](#). At this point, you will be presented with the following screen, in which you will need to map the data sources.

A screenshot of the 'Import' dialog box. It has a 'Name' field set to 'Teamwork Cloud Dashboard'. Below it, there are three data source dropdowns: 'Telegraf' (set to 'Select a InfluxDB data source'), 'Cassandra' (set to 'Select a InfluxDB data source'), and 'Teamwork Cloud' (set to 'Select a InfluxDB data source'). At the bottom, there are 'Import' and 'Cancel' buttons.

5. Map the data sources as shown below and click the **Import** button.

Name	Teamwork Cloud Dashboard	✓
Telegraf	Telegraf	✓
Cassandra	Cassandra	✓
Teamwork Cloud	Teamwork Cloud	✓


Import Cancel

6. To make the Teamwork Cloud dashboard your home dashboard, perform the following steps:


- a. Mark the Teamwork Cloud Dashboard as a favorite.



- b. Select Configuration -> Preferences.



- c. Select the Teamwork Cloud Dashboard to be your Home Dashboard and click **Save**.



The scripted process created a guest user, with credentials guest/guest, who can view the dashboard but cannot make any changes to it.