

REST API Change Log

On this page

- [Username Parameter Moved from Path to Query](#)
- [New URLs](#)
 - [Read-only Branch Deletion](#)
 - [Webhooks](#)
- [Removed URLs](#)
 - [Deprecated in Previous Version](#)
- [New Data Types](#)
 - [WebhookTriggerSimple](#)
 - [WebhookTrigger](#)
 - [SetOfWebhookTrigger](#)
 - [WebhookScopeAll](#)
 - [WebhookScopeResource](#)
 - [WebhookAuthenticationNone](#)
 - [WebhookStatus](#)

Username Parameter Moved from Path to Query

The URLs with the username parameter in the path have been changed to move the parameter to query. This has been done due to a special security vulnerability related to some special characters being used in the path.

Due to this change, the following URLs have been moved:

From	To
/osmc/admin/ldaps/{ldapId}/import/{username}	/osmc/admin/ldaps/{ldapId}/import
/osmc/admin/ldaps/{ldapId}/import/{username}/usergroups	/osmc/admin/ldaps/{ldapId}/importas/usergroups
/osmc/admin/ldaps/{ldapId}/import/{username}/users	/osmc/admin/ldaps/{ldapId}/importas/users
/osmc/admin/locks/{username}	/osmc/admin/locks
/osmc/admin/roles/{roleId}/users/{username}	/osmc/admin/roles/{roleId}/users
/osmc/admin/users/{username}	/osmc/admin/user
/osmc/admin/users/{username}/resourcebranchreadonlyall	/osmc/admin/user/resourcebranchreadonlyall
/osmc/admin/users/{username}/resources/{resourceId}/branches/readonly	/osmc/admin/user/resources/{resourceId}/branches/readonly
/osmc/admin/users/{username}/roles	/osmc/admin/user/roles
/osmc/resources/{resourceId}/roles/{roleId}/users/{username}	/osmc/resources/{resourceId}/roles/{roleId}/users
/osmc/workspaces/{workspaceId}/resources/{resourceId}/roles/{roleId}/users/{username}	/osmc/workspaces/{workspaceId}/resources/{resourceId}/roles/{roleId}/users
/osmc/workspaces/{workspaceId}/roles/{roleId}/users/{username}	/osmc/workspaces/{workspaceId}/roles/{roleId}/users

New URLs

Read-only Branch Deletion

New API for read-only branch deletion to comply with HTTP standards. Uses HTTP PUT method.

- [/osmc/admin/user/resources/{resourceId}/branches/readonlydelete](#)
- [/osmc/admin/usergroups/{usergroupId}/resources/{resourceId}/branches/readonlydelete](#)

Webhooks

Webhook CRUD.

- [/osmc/admin/webhooks](#)
- [/osmc/admin/webhooks/{webhookId}](#)
- [/osmc/admin/webhooks/{webhookId}/status](#)

Removed URLs

Deprecated in Previous Version

- /osmc/admin/tsl

New Data Types

WebhookTriggerSimple

Name	Type	Remark
type	ENUM (one of: "all", "list", "commit", "any_tag")	The trigger type.

WebhookTriggerResourceTags

Name	Type	Remark
type	ENUM (one of: "tags")	The trigger type.
value	Array of String	The commit tags that trigger the invocation of the webhook.

WebhookTrigger

One of: WebhookTriggerSimple, WebhookTriggerResourceTags.

SetOfWebhookTrigger

Name	Type	Remark
type	ENUM (one of: "list")	The trigger type.
value	Array of WebhookTrigger	Arbitrary set of webhook triggers.

WebhookScopeAll

Name	Type	Remark
type	ENUM (one of: "all")	The scope type.

WebhookScopeResource

Name	Type	Remark
type	ENUM (one of: "resource")	The scope type.
value	UUID	The ID of the resource that constitutes the scope.

WebhookScopeResourcesInCategory

Name	Type	Remark
type	ENUM (one of: "resource_in_category")	The scope type.
value	UUID	The ID of the category that constitutes the scope.

WebhookScope

One of: WebhookScopeAll, WebhookScopeResource, WebhookScopeResourcesInCategory.

WebhookAuthenticationNone

Name	Type	Remark
type	ENUM (one of: "none")	The authentication type.

WebhookAuthenticationBasic

Name	Type	Remark
type	ENUM (one of: "type")	The authentication type.
authentication_username	String	The username.

authentication_password	Type: String	Remark: The password.
-------------------------	--------------	-----------------------

WebhookAuthentication

One of: WebhookAuthenticationNone, WebhookAuthenticationBasic.

Webhook

Name	Type	Remark
webhookId	UUID	The webhook ID.
trigger	One of: WebhookTrigger, SetOfWebhookTrigger	The trigger.
scope	WebhookScope	The scope.
enabled	Boolean	Is the webhook enabled.
type	ENUM (one of: "http")	The webhook type.
endpoint	String	The webhook endpoint (URL).
authentication	WebhookAuthentication	The authentication.

WebhookUpdate

Name	Type	Remark
trigger	One of: WebhookTrigger, SetOfWebhookTrigger	The trigger.
scope	WebhookScope	The scope.
enabled	Boolean	Is the webhook enabled.
type	ENUM (one of: "http")	The webhook type.
endpoint	String	The webhook endpoint (URL).
authentication	WebhookAuthentication	The authentication.

WebhookCreateResult

Name	Type	Remark
webhookId	UUID	The ID of the created webhook.

WebhookStatus

Name	Type	Remark
enabled	Boolean	Is the webhook enabled.