

Working with Services Role-based Connectivity table

The **Services Role-based Connectivity Table (Sv-Cn)** specifies the characteristics of the data exchanged between services.

Adding existing Service Exchanges

To add an existing Service Exchange

1. In the Services Role-based Connectivity diagram toolbar, click the **Add Existing** button. The **Select Elements** dialog opens.
2. Double-click Service Exchange or Service Connector from the list to add them to the table.



- For multiple selection, click the **Multiple Selection** button in the right bottom of the dialog, select Service Exchange / Service Connector and click **+** button.
- In case a Service Connector is selected, all the Service Exchanges flowing via it will be added to the table.

3. Click **OK** when you are done.



- Service Exchange Identifier, Service Exchange Item Name, Producing and Consuming Activities, and a wide range of measurements cells are editable in the table.
- Other cells are read-only.
- To create and modify the Service Exchanges, you can use Services Structure (Sv-Sr) diagram.

Adding Service Functions

To add Service Functions

1. In the Services Role-based Connectivity Table, click a Service Exchange row for which you want to add Service Functions.
2. In the table toolbar, click the **Service Functions** button. The **Producing and Consuming Service Functions** dialog opens.
3. In the open dialog, [choose the producing and consuming Service Functions](#).
4. Click **OK**.