
Containment tab

The Containment tab displays model data grouped in logical sets. Using the Containment tab, you can quickly access each model element, change the model element's specification, or create a new model element.




To open the Containment tab, do one of the following

- At the top of the Model Browser, click the Containment tab.
- If the Containment tab is hidden, from the Window menu, select Containment.

acan change some Containment tab properties in the **Environment Options** dialog in the **Browser** options group.

The Containment tab consists of the following two components:

- · Containment tab toolbar
- Containment tree



The Containment tree includes

• The root package Model:

The Relations branch
The UML Standard Profile
The Hyperlinks branch


Code engineering sets

The root package Model

The root package *Model* in the Containment tree is the top model element wherein the entire model structure is created. The root package *Model* represents the model element that is named *Model*. All model elements are stored in the root package *Model*. You can create the structure of your project by creating packages in the root package *Model*. This helps to distribute model elements into logical groups.

Along with model elements that are created by the user, the root package Model may contain the following default items:

- The **Relations** branch. This branch appears when at least one relationship is created in the project. The *Relations* branch collects all relationships from the particular owner. For example, if the *Relations* branch is in the root package *Model*, that means, all relationships from the root package *Model* are listed in the *Relations* branch owned by the root package *Model*. The *Relations* branch can exist in other elements which may have inner elements and relations among these elements. For example, in packages, classes, and others.
- The **UML Standard Profile** package. This is a profile that is included in every MagicDraw project. It contains a list of stereotypes, data types, and other elements from the UML 2 metamodel. By default, the *UML Standard Profile* is hidden. To display the *UML Standard Profile*, click the Options button, and in the shortcut menu, choose **Show Auxiliary Resources**.



There can be more standard profiles (such as SysML, UPDM, Java, and others).

highly recommend not to modify our provided standard profiles and libraries as it could cause problems with version updates, plugins, core

MagicDraw tool malfunctions, and model corruptions.

- The File View package. This package appears when at least one code engineering set is created. The File View package contains components
 that are created on code reverse and represents source files.
- The Hyperlinks branch. This branch appears when at least one hyperlink is added to a particular element. The Hyperlinks branch contains the
 list of hyperlinks to the file, element/ symbol, or web page.

Code engineering sets

engineering is available in Professional, Architect, and Enterprise editions.

Code engineering sets can be considered a gateway between your source code and model data. Using these sets, you can perform Java, C++, IDL, CORBA IDL, and EJB 2.0 round-trip code engineering, that is, code generation and reverse engineering.

To display Code engineering sets


• In the Containment tab toolbar, click the **Options** button, then click to select the **Show Code Engineering Sets** check box.

In the Code engineering Set branch, you can create a new code engineering set, generate code, and perform other actions.

Containment tab toolbar

The Containment tab toolbar contains the following buttons:

Button	Tooltip text	Description
□菜	Collapse All	Collapses all of the currently expanded elements in the Containment tree.
製	Collapse Selected Recursively	Collapses only selected node and all subnodes in that node.




The same actions you may perform using the shortcut menu of the Containment tree.

Working with model elements in the Containment tree

You can work with elements in the Containment tree using the commands available from the selected element's shortcut menu.

ticular actions are available for particular elements.

The shortcut menu contains the following commands:



Create Relation > Otreates a new diagram inside the selected element. Create Relation > Otreates a new relation to or from the selected element. Create Relation > Otreates a new relation to or from the selected element. Creates Relation > Others the element Specification window wherein you can specify various element properties. Validation Opens the element Specification window wherein you can specify various element properties. Validation Opens or selects the item associated with the selected element. The item may be a diagram, model element, or hyperlink. Refactor Converts the selected element to the element indicated by a user. Related Elements Opens a list of functions available for the selected element. Tools Opens a list of functions available for the selected element. Depends on the selected element. Stereotype Opens the drop-down list, wherein you can apply an existing stereotype, or create a new one. Find Opens the Find dialog. Apply Profiles Opens the list of the available to apply profiles. Project Usages Opens the list of the available in the package, model, and system boundary shortcut menu. • Only custom profiles can be applied. Opens the list of washington of your have responded the shortcut menu. • Only custom profiles can be applied. Opens the list of the available in the package and model shortcut menu. Generate Code Pramework Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. This command is available in the plackage and model shortcut menu.		
Create Relation > Outgoing / Incoming Specification Opens the element Specification window wherein you can specify various element properties. Validation Open the validation commands for checking the accuracy, completeness, and correctness of a model. Go To Opens or selects the item associated with the selected element. The item may be a diagram, model element, or hyperlink. Refactor Converts the selected element to the element indicated by a user. Related Elements Opens a list of functions available for the selected element. Tools Opens a list of tools that are available for the selected element. Depends on the selected element. Stereotype Opens the drop-down list, wherein you can apply an existing stereotype, or create a new one. Find Opens the Find dialog. Opens the list of the available to apply profiles. This command is available in the package, model, and system boundary shortcut menu. • Only custom profiles can be applied. Opens the selected item. Opens the Stereotype in the selected shortcut menu. • Only custom profiles can be applied. Opens the selected item. Opens the Notification Window with the information. Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available in the Class shortcut menu.	Create Diagram	Creates a new diagram inside the selected element.
Specification Opens the element Specification window wherein you can specify various element properties.		this command is available if the selected element can be edited.
Validation Open the validation commands for checking the accuracy, completeness, and correctness of a model. Go To Opens or selects the item associated with the selected element. The item may be a diagram, model element, or hyperlink. Refactor Converts the selected element to the element indicated by a user. Related Elements Opens a list of functions available for the selected element. Depends on the selected element. Stereotype Opens the drop-down list, wherein you can apply an existing stereotype, or create a new one. Find Opens the Find dialog. Opens the list of the available to apply profiles. Project Usages Opens the list of the available in the package, model, and system boundary shortcut menu. Only custom profiles can be applied. Opens the selected element. Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Reverse from This command is available in the Class shortcut menu.		Creates a new relation to or from the selected element.
Opens or selects the item associated with the selected element. The item may be a diagram, model element, or hyperlink. Refactor Converts the selected element to the element indicated by a user. Related Elements Opens a list of functions available for the selected element. Tools Opens a list of tools that are available for the selected element. Depends on the selected element. Stereotype Opens the drop-down list, wherein you can apply an existing stereotype, or create a new one. Find Opens the Find dialog. Apply Profiles Opens the list of the available to apply profiles. This command is available in the package, model, and system boundary shortcut menu. Only custom profiles can be applied. Opens share askages and syout have to provided to provide the shortcut menu. Opens share askages and model shortcut menu. Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available report templates. Reverse from This command is available in the Class shortcut menu.	Specification	Opens the element Specification window wherein you can specify various element properties.
Refactor Converts the selected element to the element indicated by a user. Related Elements Opens a list of functions available for the selected element. Tools Opens a list of tools that are available for the selected element. Depends on the selected element. Stereotype Opens the drop-down list, wherein you can apply an existing stereotype, or create a new one. Find Opens the Find dialog. Apply Profiles Opens the list of the available to apply profiles. This command is available in the package, model, and system boundary shortcut menu. Opens that packages and aveor be applied. Opens that packages and aveor be applied. Opens that command is available in the package and model shortcut menu. Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available in the Class shortcut menu. This command is available in the Class shortcut menu.	Validation	Open the validation commands for checking the accuracy, completeness, and correctness of a model.
Related Elements Opens a list of functions available for the selected element.	Go To	Opens or selects the item associated with the selected element. The item may be a diagram, model element, or hyperlink.
Opens a list of tools that are available for the selected element. Depends on the selected element. Stereotype Opens the drop-down list, wherein you can apply an existing stereotype, or create a new one. Find Opens the Find dialog. Apply Profiles Opens the list of the available to apply profiles. • This command is available in the package, model, and system boundary shortcut menu. • Only custom profiles can be applied. Opens share packages and syort has kides and where shortcut menu. • Only custom profiles can be applied. Opens share packages and syort has kides and where shortcut menu. Generate Code Framework Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available in the Class shortcut menu. This command is available in the Class shortcut menu.	Refactor	Converts the selected element to the element indicated by a user.
Stereotype Opens the drop-down list, wherein you can apply an existing stereotype, or create a new one. Find Opens the Find dialog. Apply Profiles Opens the list of the available to apply profiles. This command is available in the package, model, and system boundary shortcut menu. Only custom profiles can be applied. Opens share packages and export packages to new project opening that is, click on the little arrow at the bottom of the this command is available in the package and model shortcut menu. Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available report templates. Reverse from This command is available in the Class shortcut menu.	Related Elements	Opens a list of functions available for the selected element.
Opens the Find dialog. Opens the list of the available to apply profiles. Opens the list of the available to apply profiles. This command is available in the package, model, and system boundary shortcut menu. Only custom profiles can be applied. Opens share packages and export packages to new project opmmands is, click on the little arrow at the bottom of the command is available in the package and model shortcut menu. Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available report templates. Reverse from This command is available in the Class shortcut menu.	Tools	Opens a list of tools that are available for the selected element. Depends on the selected element.
Apply Profiles Opens the list of the available to apply profiles. This command is available in the package, model, and system boundary shortcut menu. Only custom profiles can be applied. Opens share packages and export ackages to new project opmmand that is, click on the little arrow at the bottom of the command is available in the package and model shortcut menu. Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available report templates. This command is available in the Class shortcut menu.	Stereotype	Opens the drop-down list, wherein you can apply an existing stereotype, or create a new one.
This command is available in the package, model, and system boundary shortcut menu. Only custom profiles can be applied. Opens share packages and export packages to new project commands is, click on the little arrow at the bottom of the command is available in the package and model shortcut menu. Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available report templates. Reverse from This command is available in the Class shortcut menu.	Find	Opens the Find dialog.
• This command is available in the package, model, and system boundary shortcut menu. • Only custom profiles can be applied. Opens share packages and export packages to new project commands of the shortcut menu, that is, click on the little arrow at the bottom of the command is available in the package and model shortcut menu. Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available report templates. Reverse from This command is available in the Class shortcut menu.	Apply Profiles	Opens the list of the available to apply profiles.
Opens share packages and export packages to new project commands is, click on the little arrow at the bottom of the Generate Code Framework Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available report templates. Reverse from This command is available in the Class shortcut menu.		
Generate Code Framework Generates code for the selected item. Opens the Notification Window with the information. Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available report templates. Reverse from This command is available in the Class shortcut menu.		
Generate Code Framework Generates code for the selected item. Opens the Notification Window with the information. Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available report templates. Reverse from This command is available in the Class shortcut menu.	Project Usages	Opens share packages and export packages to new project commands. To see this command you have to expand the shortcut menu, that is, click on the little arrow at the bottom of the
Framework Check Syntax Check Syntax Checks syntax in the model according to the default code engineering language. Opens the Notification Window with the information. Generate Report Opens the list of the available report templates. Reverse from This command is available in the Class shortcut menu.		this command is available in the package and model shortcut menu.
information. Generate Report Opens the list of the available report templates. Reverse from This command is available in the Class shortcut menu.		Generates code for the selected item. Opens the Notification Window with the information.
Reverse from This command is available in the Class shortcut menu.	Check Syntax	
	Generate Report	Opens the list of the available report templates.
- Canada Anna Anna Anna Anna Anna Anna Anna	Reverse from Classpath	This command is available in the Class shortcut menu.

Related pages

- Model Browser
 Using the Model Browser
 Structure tab
 Diagrams tab
 Documentation tab
 Inheritance tab
 Lock View tab
 Model Extensions tab
 Properties tab
 Search Results tab
 Working with model elements in the Model Browser
 Zoom tab