Locking model for edit

- · Locking without forced project update
- Representation of locked elements
- Locking elements and diagrams
- Locking symbol styles
- Locking project usages

You must lock the part of the model you are going to edit to prevent other users from editing it at the same time. Locking is allowed if that part of the model is not locked by another user, because the same item can only be locked by one user at a time.

The following table explains what you can edit after you lock a single element, single diagram, diagram with elements, and so on.

When you lock	You can
Element	Edit element specification properties (in the Specification window)
Diagram	Edit: • Diagram specification properties (in the Specification window) • Diagram properties (in the Diagram Properties dialog) • Symbol layout on the diagram pane • Symbol properties (in the Symbol Properties dialog)
Diagram with elements	 Edit: Diagram specification properties (in the Specification window) Element specification properties (in the Specification window and on the diagram pane) Diagram properties (in the Symbol Properties dialog) Symbol properties (in the Symbol Properties dialog) Symbol layout on the diagram pane
Symbol styles	Edit properties of symbol styles (in the Project Options dialog)
Project usages	 Import used projects as packages into the main project Stop using projects Change versions of used projects

Locking without forced project update

You can lock elements without forcing an update of a project to the latest version if the selected elements are not locked or do not have changes in a newer version on the server.

This feature can be disabled/enabled in the Environment Options dialog.

To disable/enable locking without updating

R

1. Select Options > Environment > Collaboration node.


- 2. Find Enable Locking Without Forced Project Update option. Do one of the following:
 - Set value to *true*, to enable locking without updating;
 Set value to *false*, to disable locking without updating.

there is a 60-second threshold; if locking takes longer than 60 seconds, a project update will be required.

🐼 a 条 考试 保证 A package B, which contains many elements, recursively. The modeling tool


cannot check all contained elements' status in the later versions of the project in 60 seconds. After 60 In the containment tree, element names are represented in two colors.

- seconds, a project update will be required to lock the package.
 - Unlocked elements are represented in black, meaning they are editable.
- Locked elements are represented in gray, meaning they are not editable.



Locking elements and diagrams

Elements and diagrams can be locked by using the commands from their shortcut menu.



Elements can also be locked by clicking the Lock element for the Edit button 😨 on their Specification window.

Specification of Package Users	[Read-Only]	×
Specification of Package prope Specify properties of the selected options from the Properties drop-	Package in the properties specification table. Choose the E	xpert or All
III Ba III €	Users	Properti (
Traceability	■ 2↓ ■ ©¢ ©\$ 4000	Properti Lock element for Edit
Usage in Diagrams	Name Users	antoninantoni

The following table provides suggestions on which locking commands to use for different purposes.

If you need to edit	Do the following		
Specification properties of a single element	 Right-click either: This element in the Model Browser. A symbol of this element on a diagram pane. From the shortcut menu, select Lock > Lock Element for Edit. OR Double-click either: This element in the Model Browser. A symbol of this element on a diagram pane. In the Specification window, click the Lock element for Edit button ⁽¹⁾/₍₂₎. 		
Specification properties of both an element and the elements it contains (owns) example, a project has a Package <i>Analysis</i> , containing two inner Packages - <i>Design</i> and <i>Implementation</i> . Each inner Package also contains	 Right-click either: This element in the Model Browser. A symbol of this element on a diagram pane. From the shortcut menu, select Lock > Lock Elements for Edit Recursively 		
At the set one of the following: • Diagram representation properties (including diagram layout) • Symbol properties and the set of	 Right-click this diagram in the Model Browser. From the shortcut menu, select Lock > Lock Diagram for Edit. OR Right-click a free space on this diagram pane. From the shortcut menu, select Lock Diagram > Lock Diagram for Edit. 		
 At least one of the following: Diagram specification properties Diagram representation properties (including diagram layout) Properties of elements represented on that diagram pane Symbol properties of elements represented on that diagram pane 	 Right-click this diagram in the Model Browser. From the shortcut menu, select Lock > Lock Diagram Content for Edit. OR Right-click a free space on this diagram pane. From the shortcut menu, select Lock Diagram > Lock Diagram Content for Edit. 		

At least one of the following:

- Symbol properties of a single element represented on a diagram pane
- Position of the symbol on the diagram pane

- 1. Right-click the symbol of that element on a diagram pane.
- 2. From the shortcut menu, select Lock > Lock Element for Edit in Diagram.

Locking symbol styles

You can lock symbol styles via the Lock View tab or the Project Options dialog.

To lock symbol styles via the Lock View tab

1. In the Lock View tab on the Model Browser, expand Project Options.

It is the last tab on the Model Browser. If the tab is closed, you can simply open it by selecting **Collaborate** > **View Locked Elements**. 2. Right-click *Symbol Styles* and from the shortcut menu select **Lock Symbol Styles for Edit**.

To lock symbol styles via the **Project Options** dialog

- 1. Do either:
 - Select Options > Project.
 - In the Lock View tab on the Model Browser, right-click Project Options and from the shortcut menu, select Symbol Styles.

It is the last tab on the Model Browser. If the tab is closed, you can simply open it by selecting **Collaborate** > View Locked Elements.

2. In the Project Options dialog, click the Lock Symbol Styles for Edit button.

Project Options					
Manage styles and individual element display settings Specify the shape, path, diagram, and stereotype symbol properties. Create, edit, clone, import/export, or remove element display styles. Also set default styles or apply new styles to existing diagrams.					
 	Symbol	RGB [255, 255, 204] Image: The second seco			
		OK Cancel Help			

As a result, symbol styles become editable. Additionally, the **Make Default** button (1) in all **Symbol Properties** dialogs and the **Set Selected Symbol Style as Default** button (2) on all the diagram toolbars become available.

Set individual element display options and/or apply style for the selected element(s). Choose the Expert or All options from the Properties drop-down list to see more properties. Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"	Symbol Properties of UseCase S	earch for an item	x	
UseCase / < <requirementusecase>> Fill Color RGB [255, 255, 204] Pen Color RGB [102, 102, 71] Text Color RGB [0, 0, 0] Font Arial 11 Autosize false Show Owner Do Not Display Wrap Words false Show Number Tag Name false Element Number Display Mode Do not display on symbol Show Rake Icon false Extension Points false Suppress Extension Points false Extension Points Color RGB [40, 0, 0] Extension Points Font Arial 11</requirementusecase>	Specify the shape or path symbol p style for the selected element(s). C options from the Properties drop-do	roperties. Also apply a hoose the Expert or All		
Fill Color RGB [255, 255, 204] Pen Color RGB [102, 102, 71] Text Color RGB [0, 0, 0] Font Arial 11 Autosize false Show Owner Do Not Display Wrap Words false Show Number Tag Name false Element Number Display Mode Do not display on symbol Show Rake Icon false Extension points false Suppress Extension Points false Extension Points Color RGB [40, 0, 0] Extension Points Font Arial 11		Tt Standard	•	
Pen Color RGB [102, 102, 71] Text Color RGB [0, 0, 0] Font Arial 11 Autosize false Show Owner Do Not Display Wrap Words false Show Number Tag Name false Element Number Display Mode Do not display on symbol Show Rake Icon false Extension Points false Extension Points Color RGB [40, 0, 0] Extension Points Font Arial 11	UseCase / < <requirementus< td=""><td>eCase>></td><td></td><td></td></requirementus<>	eCase>>		
Text Color RoB [0, 0, 0] Font Arial 11 Autosize Show Owner Do Not Display Wrap Words false Show Number Tag Name Element Number Display Mode Do not display on symbol Show Rake Icon false Extension Points Suppress Extension Points Extension Points Color RGB [40, 0, 0] Extension Points Font Arial 11	Fill Color	RGB [255, 255, 204]		
Text Color RGB [0, 0, 0] Font Arial 11 Autosize false Show Owner Do Not Display Wrap Words false Show Number Tag Name false Element Number Display Mode Do not display on symbol Show Rake Icon false Extension Points false Suppress Extension Points false Extension Points Color RGB [40, 0, 0] Extension Points Font Arial 11	Pen Color	RGB [102, 102, 71]		2
Autosize ☐ false Show Owner Do Not Display Wrap Words ☐ false Show Number Tag Name ☐ false Element Number Display Mode Do not display on symbol Show Rake Icon ☐ false Extension points ☐ false Extension Points ☐ false Extension Points Color ■ RGB [40, 0, 0] Extension Points Font Arial 11	Text Color	RGB [0, 0, 0]		F
Show Owner Do Not Display Wrap Words in false Show Number Tag Name in false Element Number Display Mode Do not display on symbol Show Rake Icon in false Extension points in false Suppress Extension Points in false Extension Points Color in RGB [40, 0, 0] Extension Points Font Arial 11	Font	Arial 11		
Wrap Words false Show Number Tag Name false Element Number Display Mode Do not display on symbol Show Rake Icon false Extension points Suppress Extension Points Extension Points Color Extension Points Font Arial 11	Autosize	🔄 false		
Wrap Words Image: false Show Number Tag Name Image: false Element Number Display Mode Do not display on symbol Show Rake Icon Image: false Extension points Image: false Suppress Extension Points Image: false Extension Points Color Image: false Extension Points Font Arial 11	Show Owner	Do Not Display		Set Selected Symbol Style as Default
Element Number Display Mode Do not display on symbol Show Rake Icon Image: false Extension points Image: false Suppress Extension Points Image: false Extension Points Color Image: RGB [40, 0, 0] Extension Points Font Arial 11	Wrap Words	🔄 false		Set Selected Symbol Style as Beladie
Show Rake Icon Image: False Extension points Image: False Suppress Extension Points Image: False Extension Points Color Image: RGB [40, 0, 0] Extension Points Font Arial 11 Q Type here to filter properties	Show Number Tag Name	🔄 false		
Extension points Suppress Extension Points Extension Points Color RGB [40, 0, 0] Extension Points Font Arial 11	Element Number Display Mode	Do not display on symbol		
Suppress Extension Points Image: False Extension Points Color Image: RGB [40, 0, 0] Extension Points Font Arial 11 Image: Color Points Font Image: Color Points Font	Show Rake Icon	🔄 false		
Extension Points Color RGB [40, 0, 0] Extension Points Font Arial 11 Q Type here to filter properties	Extension points			
Extension Points Font Arial 11 Q Type here to filter properties	Suppress Extension Points	🔄 false		
Q Type here to filter properties	Extension Points Color	RGB [40, 0, 0]		
	Extension Points Font	Arial 11		
Make Default Close Help	ype here to filter properties			
	Make Default	Close Help		

Locking project usages

To lock a used project

- From the Options menu, select Project Usages. The Project Usages dialog opens.
 Select a used project on the left side of the dialog.
 Click the button to lock the used project.

Shortcut menu via shortcut menu. Right-click project and then select Lock.

You can then import this used project as a package to the main project, stop using it, or change its version.

Related pages

- Unlocking modelCommitting changes to Teamwork Cloud