

SvcV-3b Services-Services Matrix

Description

A SvcV-3b enables a quick overview of all the services resource interactions specified in one or more SvcV-1 Services Context Description models. The SvcV-3b provides a tabular summary of the services interactions specified in the SvcV-1 Services Context Description for the Architectural Description. The matrix format supports a rapid assessment of potential commonalities and redundancies (or, if fault-tolerance is desired, the lack of redundancies). In addition, this model is useful in support of net-centric (service-oriented) implementation of services as an input to the SvcV-10a Services Rules Model, SvcV-10b Services State Transition Description, and SvcV-10c Services Event-Trace Description, implemented as orchestrations of services.


The SvcV-3b can be organized in a number of ways to emphasize the association of service pairs in context with the architecture's purpose. One type of organization is a Service Hierarchy or Taxonomy of Services.

The intended usage of the SvcV-3b includes:

- Summarizing service resource interactions.
- Interface management.
- Comparing interoperability characteristics of solution options.

Implementation

SvcV-3b can be represented using a SvcV-3b diagram which is an editable Dependency Matrix.



This model is useful in support of net-centric (service-oriented) implementation of services as an input to the [SvcV- 10a Services Rules Model](#), [SvcV-10b Services State Transition Description](#), and [SvcV-10c Services Event-Trace Description](#), implemented as orchestrations of services.

Related Pages:

- [Creating SvcV-3b matrix](#)
- [Managing SvcV-3b matrix](#)
- [Service Access](#)
- [Resource Interaction](#)
- [Exchange Element](#)