New Service Channel wizard

The New Service Channel wizard supports the automated Service Oriented modeling in UPDM plugin.

On the basis of input data, the wizard:

- Creates a Service Channel and its required prerequisites.
- Synchronizes Service Parameters with Operational Exchange/ Resource Interaction Items.
- Creates the SV-1 internal diagram to visualize a Service Channel and connected parties.

To open the New Service Channel wizard, do one of the following

- Select a Needline and on the Smart Manipulator toolbar, click the New Service Channel button.
- Select a Resource Interface and on the Smart Manipulator toolbar, click the **New Service Channel** button.
- Select a Service Channel and on the Smart Manipulator toolbar, click the New Service Channel button.
- On the Service Channels Summary table toolbar, click the Add New button.
- On the Service Channels Summary matrix, click the intersection and from the shortcut menu, select **New Service Channel**.

Dependent on the way the wizard has been opened, it either knows about the Service Provider and the Service Receiver or does not.

The wizard consists of these three steps:

1. Service Channel specification.

New Service Channel Specify Service Channel Define the service channel, service, wizard in this step or move further i	, request and service interfaces. to the Exchanged Items Specifica	You may finish tion step.
I. Specify Service Channel 2. Specify provided exchange Items 3. Specify required exchange Items	Service Provider: Service Requester: Service Channel: Service: Request: Provider's Service Interface: Requester's Service Interface:	cUNSPECIFIED> • cUNSPECIFIED> • cNEW> • • cNEW> • • cNEW> • • cUNSPECIFIED> • cUNSPECIFIED> •
	< Back Next > F	Finish Cancel Help

This step allows you to specify participating parties, service and request ports, and service interfaces.

By default Service Provider and Service Requester are required, if you want to finish the wizard in the step #1. You can also choose an existing Service Channel, existing Service and Request points, and Service Interfaces.

Service Interfaces can be left undefined. In this case you will not be allowed to proceed further, but you will be able to finish the wizard.

Box name	Description
Service Provider	Performer/ Resource providing a service for a service requester. If Service Provider is known (the wizard is opened using the smart manipulator on a Needline/ Resource Interface/ System Connector/ Service Channel), it can not be changed. Otherwise, if Service Provider is unknown, it can be selected from the model.
Service Reques ter	Performer/ Resource requesting a service from a service provider. If Service Requester is known (the wizard is opened using the smart manipulator on Needline/ Resource Interface/ System Connector/ Service Channel), it can not be changed. Otherwise, if Service Requester is unknown, it can be selected from the model.
Service Channel	Connector expressing a communication channel between Service Provider and Service Requester. A new Service Channel can be created or the existing one can be selected. Only Service Channels connecting existing and selected Service and Request points can be selected.

Service	An offer of the Service by Service Provider to Service Receivers. Only Services owned by Service Provider can be selected. If there are none, new Service will be created by default.
Request	The use of a Service by the Service Requester. Only Requests owned by Service Requester can be selected. If there are none, new Request will be created by default.
Provide r's Service Interface	The type of the Service port, which describes interfaces the Service port provides and/or Requires. Any of Service Interfaces can be selected from the model using the drop down list. The field can also be left unspecified. It means you will not be able to specify data/information provided by Service Provider.
Reques ter's Service Interface	The type of the Request Point, which describes interfaces the Request Point provides and/or Requires. Any of Service Interfaces can be selected from the model using the drop down list. The field can also be left unspecified. It means you will not be able to specify data/information required by Requester.

Button	Description
Switch Service Provider with Service Requester	The button is visible only if both Service Provider and Service Requester are known (the wizard is opened using the smart manipulator on a Needline/ Resource Interface/ System Connector/ Service Channel). Click to switch Service Provider with Service Requester.
? Unknown Attachment	The button is visible only if Service Provider is unknown.
(by the Service Provide box)	Click to open the Select Elements dialog.
? Unknown Attachment	The button is visible only if Service Requester is unknown.
(by the Service Requester box)	Click to open the Select Elements dialog.
? Unknown Attachment	Click to open the element Selection dialog for Provider's Service Interface search/selection
(by the Provider's Service Interface box)	
? Unknown Attachment	Click to open the element Selection dialog for Requester's Service Interface search/selection
(by the Requester's Service Interface box)	

2. Provided Operational Exchange/ Resource Interaction item specification.

😰 New Service Channel		×
Specify provided Resource Interaction Items Specify Resource Interaction Items provided by service provider. Choose whether Existing Resource Interactions will be used or new ones will be created for selected Items carriage.		
 1. Specify Service Channel 2. Specify provided exchange Items 3. Specify required exchange Items 	Q: Image: Second with filter a Ø3 matches found with filter a Ø3 matches found with filter a Ø Arovanta Ø Ø Arovanta Ø Ø Andrata Stervice Ø Ø Augusta Stervice Ø Ø Acquita Stervice Ø Ø Acquita Stervice Ø Ø Acquita Stervice Ø	Selected elements: J
	Apply Filter (Ctrl+Space) Creation Mode Use existing Resource Interactions	<
< Back Next > Finish Cancel Help		

This step allow you to specify provided exchange items that are required by Service Provider and provided by Service Requester in exchange.

Check box	Description
Use Existing Operational Exchanges/ Resource Interactions	If selected, application searches for and reuses compatible with provided Data/Information Elements exchanges flowing via Service Provider and Service Requester. Otherwise new exchanges are created instead of reusing existing ones.

3. Required Operational Exchange/ Resource Interaction item specification.



This step allow you to specify required exchange items that are required by Service Provider and provided by Service Requester in exchange.

Check box	Description
Use Existing Operational Exchanges/ Resource Interactions	If selected, application searches for and reuses compatible with provided Data/Information Elements exchanges flowing via Service Provider and Service Requester. Otherwise new exchanges are created instead of reusing existing ones.

The first step is mandatory and the other steps are optional.

Related procedures

• Creating Service Channel Summary Table