
Containment tab

On this page

- The root package Model
- Code engineering sets
- Containment tab toolbar
- · Working with model elements in the Containment tree

The Containment tab displays model data grouped in logical sets. Using the Containment tab, you can quickly access each model element, change a model element specification, or create a new model element.




To open the Containment tab, do one of the following

- At the top of the Model Browser, click the Containment tab.
- . If the Containment tab is hidden, from the Window menu, select Containment.

acan change some Containment tab properties in the **Environment Options** dialog the **Browser** options group.

The Containment tab consists of the following two components:

- · Containment tab toolbar
- Containment tree



The Containment tree includes

• The root package Model:

The Relations branch The UML Standard Profile The Hyperlinks branch

· Code engineering sets

The root package Model

The root package *Model* in the Containment tree is the top model element wherein the entire model structure is created. The root package *Model* represents the model element that is named *Model*. All model elements are stored in the root package *Model*. You can create the structure of your project by creating packages in the root package *Model*. This helps to distribute model elements into the logical groups.

Along with model elements that are created by the user, the root package Model may contain the following default items:

- The **Relations** branch. This branch appears when at least one relationship is created in the project. The *Relations* branch collects all relationships from the particular owner. For example, if the *Relations* branch is in the root package *Model*, that means, all relationships from the root package *Model* are listed in the *Relations* branch owned by the root package *Model*. The *Relations* branch can exist in other elements which may have inner elements and relations among these elements. For example, in packages, classes, and others.
- The UML Standard Profile package. This is a profile which is included to every MagicDraw project. It contains a list of stereotypes, data types, and other elements from the UML 2 metamodel. By default, the UML Standard Profile is hidden. To display the UML Standard Profile, click the Sh ow Auxiliary Resources button. There can be more standard profiles (such as, SysML, UPDM, Java, and others).



- The File View package. This package appears when at least one code engineering set is created. The File View package contains components that are created on code reverse and represents source files.
- The Hyperlinks branch. This branch appears when at least one hyperlink is added to the particular element. The Hyperlinks branch contains the
 list of hyperlinks to the file, element/ symbol, or web page.

Code engineering sets

tions.

Output

De engineering is available in Professional, Architect, and Enterprise editions.

Code engineering sets can be considered a gateway between your source code and model data. Using these sets, you can perform Java, C++, C#, IDL, CIL, CORBA IDL, EJB 2.0, and WSDL round-trip code engineering, that is, code generation and reverse engineering.

To display Code engineering sets


• In the Containment tab toolbar, click the Options Dutton, then click to select the Show Code Engineering Sets check box.

In Code engineering sets branch, you can create a new code engineering set, generate code, and perform other actions.

Containment tab toolbar

The Containment tab toolbar contains the following buttons:

Button	Tooltip text	Description
Š	Open in New Tab	Opens the contents of the selected element in a new tab of the Model Browser.
☆	Favorites	Opens the Favorites menu for choosing to do one of the following: Add a selected element to favorites Open the dialog for managing favorites Navigate to a desired favorite in the Containment tree
Q	Quick Find	Opens the Quick Find dialog.



The same actions you may perform using the shortcut menu of the Containment tree.

Working with model elements in the Containment tree

You can work with elements in the Containment tree using the commands available from the selected element's shortcut menu.

ticular actions are available for the particular elements.

The shortcut menu contains the following commands:

Command	Function
Create Element	Creates a new element inside the selected element.
	This command is available if the selected element can be edited.
Create Diagram	Creates a new diagram inside the selected element.
	This command is available if the selected element can be edited.
Create Relation > Outgoing / Incoming	Creates a new relation to or from the selected element.
Open in New Tree	In the Model Browser, opens a new tab for the selected element.
Specification	Opens the element Specification window wherein you can specify various element properties.
Go To	Opens or selects the item associated with the selected element. The item may be diagram, model element, or hyperlink.
Refactor	Converts the selected element to the element indicated by a user.
Related Elements	Opens a list of functions available for the selected element.
Tools	Opens a list with tools that are available for the selected element. Depends on the selected element.
Stereotype	Opens the drop down list, wherein you can apply an existing stereotype, or create a new one.
Find	Opens the Find dialog.
Apply Profiles	Opens the list of the available to apply profiles.
	This command is available in the package, model, and system boundary shortcut menu.
Modules	To see this command you have to expand the shortcut menu, that is, click on the little arrow at the bottom of the Opens the list with the commands for working with modules. Opens the list with the commands for working with modules.
	This command is available in the package, model, and system boundary shortcut menu.
	• To display this command in the shortcut menu you have to expand the shortcut menu, that is, click on the little arrow
Generate Code Framework	Generates code for the selected item. Opens the Message Window with the information.

Check Syntax	Checks syntax in the model according to the default code engineering language. Opens the Message Window with the information.
Generate Report	Opens the list of the available report templates.
Reverse from Classpath	This command is available in the class shortcut menu.

Related pages



📜 Unknown macro: 'list-children'