


# Connecting to LDAP servers

LDAP stands for Lightweight Directory Access Protocol. It is an open standard protocol used over an IP network to locate and access directory servers. Teamwork Cloud Admin (TWAdmin) makes use of LDAP to access data, in this case users, on LDAP servers. Therefore, with TWAdmin, you can easily import users from other external databases or LDAP servers. After you import users, you can assign them some roles or resources and even convert them into internal users. TWAdmin uses LDAP to import users only. The users' data are still stored on the LDAP servers. You cannot edit information or profiles of the users imported from LDAP servers.

The **LDAP User Directories** page allows you to add LDAP servers before you can import users from them. It also shows information about LDAP servers that are external but configured for Teamwork Cloud (TWCloud). TWAdmin's user authentication during login also searches for the user in those directories. The authentication process starts from the first LDAP server on the directory list. You can, however, select which server gets authenticated first by changing the order using the up and down arrow buttons.



USERS REPOSITORY ROLES **LDAP** SETTINGS Support

Teamwork Cloud

Search...

## LDAP User Directories

The table below shows the user directories currently configured for TWCloud. The order of these directories is the order in which they will be searched for users during the authentication. You may create as many LDAP directories as you need.

+ Create LDAP directory

Order	Server Address	Name	Status	Action
↑ ↓	10.1.1.127	Active Directory	✓	<a href="#">Edit</a> ▼
↑ ↓	ldap.th.nomagic.com	OpenLDAP	✓	<a href="#">Edit</a> ▼

The LDAP User Directories page.



### Tip

Alternatively, you can click  (Manage LDAP directories icon) on the **User Management** page to open the **LDAP User Directories** page.

### Related pages

- [Configuring LDAP properties](#)
- [Adding an LDAP server to TWCloud](#)
- [Testing connectivity](#)
- [Editing an LDAP server configuration properties](#)
- [Disabling or deleting an LDAP server](#)