

SvcV-4 Services Functionality Description

Description

The SvcV-4 DoDAF-described Model addresses human and service functionality.

The primary purpose of SvcV-4 is to:

- Develop a clear description of the necessary data flows that are input (consumed) by and output (produced) by each resource.
- Ensure that the service functional connectivity is complete (i.e., that a resource's required inputs are all satisfied).
- Ensure that the functional decomposition reaches an appropriate level of detail.

The Services Functionality Description provides detailed information regarding the:

- Allocation of service functions to resources.
- Flow of resources between service functions.

The SvcV-4 is the Services Viewpoint counterpart to the OV-5b Operational Activity Model of the Operational Viewpoint.


The intended usage of the SvcV-4 includes:

- Description of task workflow.
- Identification of functional service requirements.
- Functional decomposition of Services.
- Relate human and service functions.


Implementation

SvcV-4 can be represented using:

- A SvcV-4 Services Functionality Description diagram which is based on the UML Class diagram.



- A SvcV-4 Services Functionality Flow Description diagram which is based on the UML Activity diagram.



The SvcV-4 is the behavioral counterpart to the [SvcV-1 Services Context Description](#) (in the same way that [OV-5b Operational Activity Model](#) is the behavioral counterpart to [OV-2 Operational Resource Flow Description](#)).

Related procedures

- [Creating SvcV-4 Services Functionality Description diagram](#)
- [Creating SvcV-4 Services Functionality Flow Description diagram](#)
- [Creating Resource Interaction in SvcV-4 Service Functionality Description](#)

Related elements

- [Function](#)
- [Service Access](#)
- [Function Action](#)
- [Function Edge](#)
- [Resource Parameter](#)