Copying OSLC query results to a modeling tool as SysML Requirements

To copy OSLC query results to a modeling tool as SysML Requirements, you must set up an IBM[®] Rational[®] DOORS[®] Next Generation Data Source and query the Data Source using OSLC query syntax. When you have the query results, you can copy them into your modeling tool as SysML Requirements.

To copy OSLC query results to a modeling tool as SysML Requirements


- 1. Complete the steps of creating OSLC queries.
- 2. From the OSLC query results, drag the matching query tree to the Containment tree of the modeling tool.

B Containment 🐉 Diagrams 🖥 Structure	SLC Query Editor
Containment 🗈 🖲 🛪	
 Nodel Relations DataHub_Data_datitled1 ISO-80000 [ISO-80000.ndzip] MD Customization for Requirements [MD Customization for Re MD Customization for ViewsViewpoints [MD_customization_for MD Customization for ViewsView	Matched items: 343 result(s). Operation: Copy Data Type text to search Image 1 Image 2 Image 3 Iogo_JK enterprises Registered User Accelerate economic recovery Cross Organizational BTO Initiatives Gain a 360 Customer View

2. The Copy Data dialog opens. From the target type list in the MagicDraw Side group, choose Extended Requirement. Click OK.

Copy Data Select all missing target types from the list and resolve them by defining the schema map. Mapping Mode: Group Type Mapping I IBH Rational DOORS Next Generation Side MagicDraw Side Ibunness Goods//MCB Banking (Requirements Manno) Q-: Type Filter Text Ibunness Goods//MCB Banking (Requirements Manno) Design Constraint Ibunness Goods//MCB Banking (Requirements Manno) Design Constraint Ibunness Goods///MCB Banking (Requirement Magic Conversion Rule Orthroutor (Readonly) Design Constraint Ibunness Foods///MCB Banking (Requirement [Magic Conversion Rule Onthroutor (Readonly) Design Constraint Ibunness Foods///MCB Banking (Requirement [Magic Conversion Rule Contributor (Readonly) Design Constraint Iben Target Type from Attribute Value Design Constraint Attribute: Derive frow/der Value Definet Target Type from Attribute Value Design Constraint Definet Type from Attribute Value Design Constraint <th>]</th> <th></th> <th></th> <th>Copy Data</th> <th></th> <th></th> <th></th>]			Copy Data			
Iterational DOORS Next Generation Side MagicDraw Side Image: Constraint Image: Constraint Image: Constraint Image: Co		lve the	em l	by defining the schema map.			
Customization Customization Design Constraint Diagram Legend Drag&Drop Specification The External Punctional Requirement Punctional Requirement Set as default target type Set as default target type Set as default target type Contributor(Readonly) Creator (Readonly) Creator (Readonly) Description Identifier (Readonly) Parent(Readonly) Parent(Readonly) Parent(Readonly) Parent(Readonly) Parent(Readonly) Status Title Name Edit Edit Edit				MagicDraw Side			
Customization Customization Design Constraint Diagram Legend Drag&Drop Specification The External Punctional Requirement Punctional Requirement Set as default target type Set as default target type Set as default target type Contributor(Readonly) Creator (Readonly) Creator (Readonly) Description Identifier (Readonly) Parent(Readonly) Parent(Readonly) Parent(Readonly) Parent(Readonly) Parent(Readonly) Status Title Name Edit Edit Edit		Manag		Q- Type Filter Text			
Business Goal::/JKE Banking (Requi Extended Requirement [Magic Conversion Rule Define Target Type from Attribute Value Contributor (Readonly) Created On(Readonly) Attribute: Service Provider Description Identifier (Readonly) Default Priority Value Target Primary Text Text Priority Primary Text Text Priority Status Identifier (Readonly) Status Identifier (Readonly) Identifier (Readonly)				Diagram Legend Domain Drag&Drop Specification Extended Requirement External External Interface Block Set as default target type			v
Contributor (Readonly) Define Target Type from Attribute Value Attribute: Service Provider v Default Priority Value Target Value Target Value Target Value Target Value Target Value Target Value Target Value Target Value Target Value Target Value Target Value Target Value Target Value Target Value Target Value				-	Extended Dequirement Magic	Conversion	Dulo
□ Define Target Type from Attribute Value Attribute: Service Provider ∨	<	>			Extended Requirement (Magic	Conversion	Rule
Attribute: Service Provider Default Priority Value Target Creator(Readonly) Identifier(Readonly)	Define Target Type from Attribute Value		_				
Attribute: Service Provider Default Priority Value Target Description Identifier(Readonly) Identifier(Readonly) Priority Service Provider(Readonly) Status Title Name Edit							
Default Priority Value Target Image: Constraint of the second s	Attribute: Service Provider 🤟						
Modified On(Readonly) Parent(Readonly) Primary Text Priority Service Provider(Readonly) Status Title Name Edit					Id		
Parent(Readonly) Primary Text Text Priority Service Provider(Readonly) Status Title Name Edit	Default Priority Value Target	-		Modified On(Readonly)			
Priority Service Provider(Readonly) Status Title Name Edit				Parent(Readonly)			
Service Provider(Readonly) Status Title Name Edit				Primary Text	Text		
Status Title Name Edit							
Title Name							
Edit							
				Title	Name		
OK Cancel	•						<u>E</u> dit
						ОК	Cancel

The result of the copy is shown in the MagicDraw Containment tree.



The result of the copied OSLC query in the MagicDraw Containment tree.

Editor supports the Copy Data, Copy Data with DI		
Matched items: 1 result(s).		
Operation: Copy Data	~	
Type text Copy Data with DHTrace	2	
⊡ ☐ IT Requirements Process		
New Query	s alias	