

Resources Parameters

Description

The Resources Parameters (Rs-Pm) domain depicts the measurements of resources.

The intended usage of the The Resources Parameters (Rs-Pm) domain includes:

- Definition of performance characteristics and measurements.
- Identification of non-functional requirements.

Implementation

The Resources Parameters (Rs-Pm) domain is represented by:

- Environment diagram.
- Typical Measurements table.
- Actual Measurements table.
- Resources Parametric diagram
- Actual Measurements (.xlsx).

Samples

#		Property Set								
1		Status Alerting								
2		Signal Processor								
3		Transmitter								
4		Receiver								

An example of the typical measurements table

#	Property Set	Performance Requirement	Measure	Metric
1	Receiver	Signal To Noise Ratio	20	dB
2	Receiver	Gain	60	dB
3	Signal Processor	Comms Channel Bandwidth Support	2	GB
4	Status Alerting	Min. Alert Response Time	30	seconds
5	Status Alerting	Min. Status Change Alert Accuracy	500	meters
6	Transmitter	Transmission Rate	2	GB

An example of the actual measurements table

Related elements

- Actual Measurement
- Actual Measurement Set
- Actual Property Set
- Capability Configuration
- Measurement
- Measurement Set
- Organization
- Post
- Property Set
- Resource Artifact
- Software

Related procedures

Unknown macro: 'list-children'

- Generating document based reports