


Replacing recovered element with another element

At times, you may decide to reference a different element rather than the recovered one in the model.

To replace a reference from a recovered element to another one

1. Do either:
 - In the Model Browser, right-click an element that refers to the recovered element. From its shortcut menu select **Validation > Usage of Recovered Element > Use Another Element**.
 - In the **Active Validation Results** panel, right-click an element that refers to the recovered element and whose abbreviation is URE. From its shortcut menu select **Use Another Element**.
2. In the element Selection dialog, select the element you want to use instead of the recovered element.
3. Click **OK**. The reference is now pointing to the selected element. Also, it is no longer unresolved.

 You can use the command for more than one element at a time.

 If some of the unresolved references are read-only, belong to the read-only module, are locked by another user, or still not locked, the command will skip these elements.

Alternatively, you can replace all references from a particular recovered element to another one using one operation.

To replace a recovered element with another one in all references

1. Do either:
 - In the Model Browser, right-click the recovered element and from its shortcut menu select **Validation > Usage of Recovered Element > Change Usages To**.
 - In the **Active Validation Results** panel, right-click the recovered element and from its shortcut menu select **Change Usages To**.
2. In the element Selection dialog, select the element you want to use instead of the recovered element.
3. Click **OK**. All the references are now pointing to another element. Also, they are no longer decorated as unresolved.

Related pages

- [Removing unresolved reference](#)
- [Removing recovered element symbol](#)
- [Managing unresolved references](#)