


Accepting and rejecting changes




Accept and reject changes using the toolbar that is located above the **Merged Result** tree or using the shortcut menu.






Before starting to accept and reject changes, specify from what contributor changes will be accepted and rejected. Use the **Accepting/Rejecting Scope** drop-down list for this.

The toolbar buttons are described in the following table.

Accept

Button	Tooltip text	Description
	Accept the selected change, its property changes, and all sub-element changes	Click to accept all changes from both contributors starting from the selected element. For example, if the root package <i>Model</i> is selected, then all changes for the whole project will be accepted.
	Accept the selected change its property change	Click to accept the selected element change together with the element property changes.
	Accept the selected change	Click to accept the selected element change.

Reject

Button	Tooltip text	Description
	Reject the selected change, its property changes, and all sub-element changes	Click to reject all changes from both contributors starting from the selected element. For example, if the root package <i>Model</i> is selected, then all changes for the whole project will be rejected.
	Reject the selected change its property change	Click to reject the selected element change together with the element property changes.
	Reject the selected change	Click to reject the selected element change.

The following table lists the commands of the shortcut menu that can be opened, when an element is selected in the **Merged Result** tree.

Command	Description
Accept	Click to accept the selected change. If the change has equivalent changes, they are accepted too.
Reject	Click to reject the selected change. If the change has equivalent changes, they are rejected too.
Accept With Properties	Click to accept the selected change and its property changes.
Reject With Properties	Click to reject the selecting change and its property changes.
Accept Recursively	Click to accept the selected change, its property changes, and all owned element changes.
Reject Recursively	Click to reject the selected change, its property changes, and all owned element changes.
Mark as Resolved	Click to mark the change as resolved by the user, but not by the system. The conflicting change becomes marked as resolved by the user too.
Select Original Location(s)	If the selected instance of a moved element is in the new location, the Select Original Location(s) command appears on the shortcut menu. Click it to navigate to and select the original location(s) of the moved element in the Merged Result tree.
Select New Location(s)	If the selected instance of a moved element is in its original location, the Select New Location(s) command appears on the shortcut menu. Click it to navigate to and select a new location(s) of the moved element in the Merged Result tree.

Related Pages:

- [Analyzing and managing merge results](#)

- Getting merge summary information and changes legend
- Understanding content of the Merged Result tree
- Inspecting element property changes in the Specification panel
- Inspecting changes in the Change details panel
- Displaying and navigating through changes
- Quickly navigating through conflicting changes
- Viewing and analyzing changes of modified diagrams
- Generating a differences report