## **Deploying the DOORS driver for IBM Rational DOORS**

Before adding a DOORS Data Source, you must deploy the DOORS driver.



• Driver deployment copies the DXL script file into the DOORS addin folder and updates the registry for DOORS to recognize the addin path.

Therefore, you must run MagicDraw or Cameo products as an administrator to allow these operations during driver deployment.

• You must close the DOORS application before driver deployment since folders are write-protected when the application is active. To deploy the DOORS driver

1. From the MagicDraw<sup>®</sup> main menu, click Tools > DataHub > Driver Deployment. The Driver Deployment dialog opens.

Тоо	o <mark>ls</mark> Analyze Collaborate W	/indow Hel	р	
	Resources Deployer	>		
	Model Transformations			
	Hyperlinks			
	Project Merge			
	Report Wizard C	trl+Shift+G		
	Integrations			
ABS	Check Spelling			
	Expression Evaluation			
	DataHub	>		Synchronize updates to Data Source
	Macros	>		DataHub Explorer
	CATIA System Synthesis	>		DHLink Panel
	•			DHLink Summary
				Schema Map Manager
				Alias Manager
				Remove non-use DHLink
				Migrate DataHub
				Driver Deployment
			я,	Create OSLC Query
				Actions >
				3rd Party Libraries Info

2. From the Version drop-down list, choose a version of IBM® Rational® DOORS® that you would like to add.

Morning	
() Warning	Add
It is important to choose the DOORS version before you click	<

Driver Deployment	×
IBM Rational DOORS	*
Deployment parameters	
Version: 9.5 -	
C:\Program Files (x86)\IBM\Rational\DOORS\9.5	Add
	Remove
	Close

	Add	
3. Click		. An <b>Open</b> dialog appears which prompts you to choose your DOORS installation directory. Locate it and then click <b>Open</b> .
The DOG	JRS ariver is no	w deployed, and you can now add a DOORS Data Source.

## Related page

• Driver deployment