


DataHub menu

To access the DataHub menu, you need to start MagicDraw® and open a new or existing project.

To open the DataHub menu in MagicDraw®

- From the MagicDraw main menu, click **Tools > DataHub**. The DataHub menu items open.




DataHub menu items.

The table below explains the functions of the DataHub menu items.

Name	Function
Synchronize updates to Data Source	Synchronizes the node if there are any pending changes. Otherwise, does nothing.
DataHub Explorer	Opens the DataHub Explorer tab.
DHLink Panel	Opens the DHLink Panel
DHLink Summary	Opens the DHLink Summary dialog
Schema Map Manager	Opens the Schema Map Manager dialog
Alias Manager	Opens the Alias Manager dialog
Remove non-use DHLink	Opens the Remove DHLinks Confirmation dialog to remove DHLinks that are not in the project.
Migrate DataHub	Opens the Cameo DataHub Migration dialog. Data from older versions of DataHub are migrated to the latest version of DataHub.
Driver Deployment	Opens the Driver Deployment dialog
Create OSLC Query	Opens the OSLC Query Editor dialog

Actions	Opens the Actions menu
3rd Party Libraries Info	Opens the 3rd Party Libraries Info dialog.

Note
Some of the DataHub menu items may be disabled if those items are not applicable in the current context. For example, the **Create OSLC query** menu item is enabled only when you have an **IBM® Rational® DOORS® Next Generation** Data Source open.



DataHub Actions menu items.

The table below explains the functions of the DataHub Actions menu items.

Name	Function
------	----------

Add Data Source	Opens the Add Data Source dialog.
Connect	Connects to the selected Data Source.
Close Data Source	Closes a Data Source.
Save	Saves changes to a Data Source.
Remove Data Source	Removes a Data Source from the DataHub Explorer instances.
New Node	Adds a new node under the selected node or Data Source.
Delete Node	Removes the selected node.
Reload	Reloads all properties and items on the selected item and sub-items.
Select in Application	Selects the selected node in its original application.
Go to the Other Related Link	Goes to a related linked item (within DataHub Explorer).
Check Changes	<p>Reviews all nodes that have been changed or edited without synchronizing them. The Check Changes menu has four sub-menus</p> <ul style="list-style-type: none"> • Check DHLink Changes: Views the changes in DHLinks only in the selected node. • Check DHLink Changes Recursively: Views the changes in DHLinks in both the selected node and its children. • Check DHTrace Changes: Determines trace changes in the selected node. • Check DHTrace Changes Recursively: Determines changes in trace links in the selected node and its children.
Synchronize	<p>Sends data updates from the selected Data Source to all of the related items in other tools. This option performs data synchronization for DHLinks only, but DHTraces are not synchronized. The Synchronize menu contains two sub-menus</p> <ul style="list-style-type: none"> • Synchronize Node: Synchronizes data only in the selected node. • Synchronize Node Recursively: Synchronizes data under the selected node and all its child nodes.
Update DHLinks	<p>Updates pending updates and pending delete DHLinks. This menu item has four sub-menu items</p> <ul style="list-style-type: none"> • Update Pending DHLinks: Updates pending DHLinks in a single node. • Update Pending DHLinks Recursively: Updates pending DHLinks across a node and its children. • Clear Suspect DHTraces: Clears suspect DHLinks in a single node. • Clear Suspect DHTraces Recursively: Clears suspect DHLinks across a node and its children.
Remove DHLinks	<p>Removes all the DHLink information from the selected node. This menu item has four sub-menu items</p> <ul style="list-style-type: none"> • Remove DHLinks: Removes all DHLinks from a single node. • Remove DHLinks Recursively: Removes all DHLinks from a node as well as all its children. • Remove DHTrace: Removes all DHTrace links from a node. • Remove DHTrace Recursively: Removes all DHTrace links from a node and all its children.
Create Alias	Creates an alias for the selected node and adds it to Alias Manager.
Properties	Opens the Cameo DataHub Properties tab and DH Links panel for the selected node.

**Important**

Removing a Data Source deletes all of its mappings and DHLinks.

Related page

- [Hot keys](#)