

# WSDL

## Reference:

<http://www.w3.org/TR/2001/NOTE-wsdl-20010315>



This functionality is available in the Enterprise edition only.

WSDL (Web Services Description Language) is an XML format for describing network services as a set of communication endpoints capable of exchanging messages containing either document-oriented or procedure-oriented information. The operations and messages are described abstractly. They are then bound to a concrete network protocol and message format to define an endpoint. Related concrete endpoints are combined into abstract endpoints (services).

MagicDraw UML supports WSDL code engineering: code generation, reverse and syntax checking. A WSDL diagram is dedicated for WSDL modeling.

WSDL code engineering contains the WSDL Profile and XML Schema Profile.

WSDL uses the following elements in the definition of network services:

- **types**, providing data type definitions used to describe the messages exchanged.
- **message**, representing an abstract definition of the data being transmitted. A message consists of logical parts, each of which is associated with a definition within a type system.
- **portType**, a set of abstract operations. Each operation refers to an input message and output messages.
- **binding**, specifying concrete protocol and data format specifications for the operations and messages defined by a particular portType.
- **port**, specifying an address for a binding, thus defining a single communication endpoint.
- **service**, used to aggregate a set of related ports.

## Related pages:

- [WSDL Mapping to UML Elements](#)
- [Code Engineering Sets](#)
- [Generating Code](#)
- [Reverse Options](#)
- [Global options for Code Engineering](#)
- [Files of Properties](#)
- [Java Code Engineering](#)
- [C++ Code Engineering](#)
- [C# Code Engineering](#)
- [CORBA IDL Mapping To UML](#)
- [WSDL](#)