
Editing a property chain

You can use the shortcut menu option Edit subproperty chain to edit a property chain, and to add, remove, or reorder properties in a chain in the Specific ation window.

To edit a property chain



1. Right-click a property chain, e.g., {*chain* = ...} in the diagram pane.

The Edit subproperty chain shortcut menu to edit a property chain.

2. Select Concept Modeling > Edit subproperty chain. The Specification of Property has uncle dialog of the property will open showing the property chain, e.g., {chain = ...} in the Tags section.

🖹 S	specification of Property has uncle	×
Element tagged value specification Select a tag and click the Create Value button to	o create new value for it.	
thas unde : Property Chain::Male Person [*] Documentation/Hyperlinks Usage in Diagrams Qualifiers Inner Elements Relations Connectors Constraints Traceability	Tags Profile: 	Property:
	Close B	ack Forward Help

- The Specification window of the property "has uncle". 3. Click the tagged value, e.g., chain = has father, has brother.
- 4. Click Edit Value. The Specification of Slot < > window will open.

2	Specification of Slot <>	×
Specification of Slot properties Specify properties of the selected Slot in Properties drop-down list to see more pro	the properties specification table. Choose the Expert or All op perties.	otions from the
🖬 🔁 🖉	<>	
chain = has father, has brother b- Documentation/Hyperlinks		Properties: All 🗸
Inner Elements		s father (Property Chain::Person: T s brother (Property Chain::Person
	Q. Type here to filter properties	
	Close Ba	k Forward Help

Editing the property chain in the Specification window.

- Click Value and click the properties box next to it.
 You can click:

to add a property to the property chain.

to delete a property from the property chain.

to order the properties in the property chain.

Specification of Slot <> Specification of Slot properties Specify properties of the selected Slot in the selected	ne properties specification table. Choose the Expert o	or All options from the Properties drop-down list to
□ B: C 2	<>	
S chain = held by, has treasure type		Properties: All 🗸
📄 Documentation/Comments		
	Owner	: Concept Modeling Profile: :Subproperty Chain [Boss
Elements	Applied Stereotype	
- Constraints		💟 held by [Boss Monster Concepts::Boss::holds::] 🔳
Traceability		💟 has treasure type [Boss Monster Concepts::Boss::hd
	Value	
		τu
		1¢
		< >>
	Active Hyperlink	
	Applied Stereotype Instance	
	Owned Comment	
	Owned Element	V held by [Boss Monster Concepts::Boss::holds::]
	owned clement	D has treasure type [Boss Monster Concepts::Boss::holds
	Defining Feature	+chain : UML Standard Profile::UML2 Metamodel::Pr
	Owning Instance	: Concept Modeling Profile::Subproperty Chain (Boss
	Value The value or values held by the Slot.	
	Q Type here to filter properties	

2. The Select Element dialog opens. Type the name of the property you want to add to the property chain. Click OK.

🔯 Select Element	×
	r an element. To find the element, type a name in Iso use wildcards (*,?). Click the magnifier icon to
Q-lured by	
🗄 Tree 🔚 List	
	2 matches found with filter applied
	Concept Model» (2 matches)
	>
Apply Filter (Ctrl+Space) 🍸	
	OK Cancel Help


3. The Specification of Element Value <> opens. Click Close.

Specification of Element Value prope Specify properties of the selected Elem drop-down list to see more properties.	ent Value in the properties specification table. Choose th	ne Expert or All options from the Properties
🗏 lt 🔽 😂	<>	
V lured by		Properties: All 🗸 🗸
Documentation/Comments Documentation/Hyperlinks Discrete Elements Discr	Element Value Element Name	+lured by : Boss Monster Concepts::Treasure Type
Tags Constraints Traceability	Qualified Name Owner Type Modifier	(5) chain = held by, has treasure type, lured by (Boss
	Applied Stereotype Active Hyperlink Name Expression Client Dependency	
	Supplier Dependency Supplier Dependency Applied Stereotype Instance Owned Comment	
	Owned Element Namespace Visibility	public
	Owning Parameter Template Parameter Type	
	Owning Package Expression Owning Instance Spec	~
	Name The name of the NamedElement.	
	Q Type here to filter properties	


After clicking Close, you should see the new property added onto your property chain.

pecty properties of the selected Slot in the properties specification table. Choose the Expert or All options from the Properties drop-down list to Properties: All Properties: All Propertie	Specification of Slot <>		×
Binn = heid by, has treasure type Documentatory/Comments Navigation/Hyperlinks Trage Constraints Traceability Value Active Hyperlink Active Hyperlink Owner In arc Education Active Hyperlink Owner Active Hyperlink Applied Stereotype Value Active Hyperlink Applied Stereotype Instance Owner Owner Defining Feature Owner Value	ecification of Slot properties Specify properties of the selected Slot in see more properties.	the properties specification table. Choose the Expert or	All options from the Properties drop-down list to
Documentation/Comments Inver Elements Tags Constraints Traceability Value Active Hyperlink Applied Stereotype Inver Elements Applied Stereotype Inver Elements Constraints Traceability Value Inver Elements Applied Stereotype Inver Elements Applied Stereotype Inver Elements Applied Stereotype Inver Elements Applied Stereotype Inver Elements Active Hyperlink Applied Stereotype Instance Owner Owner Inver Elements Inver Elements Inver Elements Active Hyperlink Active Hyperlink Applied Stereotype Instance Owner Owner Owner Inter Elements Value Value Inter Elements Inter Ele	1 12 🖸 🖉	<>	
 Navigation/Hyperlinks Owner Tage Constraints Traceability Value Value Active Hyperlink Active Hyperlink Active Hyperlink Owner Owner Defining Feature Held by (Boss Monster Concepts::Boss::holds::] Navigation/Hyperlink Active Hyperlink Owner Owner Defining Feature Held by (Boss Monster Concepts::Boss::holds::] Navigation Value Active Hyperlink Owner Owner Defining Feature Held by (Boss Monster Concepts::Boss::holds::] Yalue Value Active Hyperlink Active Hyperlink Active Hyperlink Owned Comment Yeas treasure type (Boss Monster Concepts::Boss::holds::] Owned Element Yeas treasure type (Boss Monster Concepts::Boss::holds::] Yeature Active Hyperlink Active Hyperlink	chain = held by, has treasure type		Properties: All 🗸
Inner Elements Concept Modeling Profile::Supproperty Chain (Boss Applied Storeotype Concept Modeling Profile::Supproperty Chain (Boss Applied Storeotype Value Active Hyperlink Applied Storeotype Instance Owned Comment Owned Comment Owned Element Value		□ Slot	
Applied Stereotype Applie		Owner	: Concept Modeling Profile::Subproperty Chain [Boss
Constraints Const		Applied Stereotype	
Considered in the streasure type (Boss Monster Concepts : Boss J to be a streasure type (Boss Monster Concepts : Boss J to be a streasure type (Boss Monster Concepts : Boss J to be a streasure type) Active Hyperlink Active Hyperlink Active Hyperlink Owned Comment Owned Comment Owned Comment Owned Islement W has treasure type (Boss Monster Concepts : Boss : holds ::] Y has treasure type (Boss Monster Concepts : Boss : holds ::] Winder the streasure type (Boss Monster Concepts : Boss : holds Defining Feature of the their : UML Standard Profile : Subproperty Chain (Boss Value The value or values held by the Slot.			V held by (Boss Monster Concepts::Boss::holds::1
Value Value Active Hyperlink Applied Stereotype Instance Owned Comment Owned Element Owned Element Owned Element Owned Element Owned Instance Owned Comment Owned Instance Owned Comment The value or values held by the Slot.			
Active Hyperlink Applied Stereotype Instance Owned Comment Owned Element Defining Feature Owning Instance Wilk Standard Profile::Subproperty Chain (Boss Walke The value or values held by the Slot.	" 🗐 Traceability		
Active Hyperlink Applied Stereotype Instance Owned Comment Owned Element Defining Feature Owning Instance Owning Instance What reasure type (Boss Monster Concepts::Boss::holds::] Yhas treasure type (Boss Monster Concepts::Boss::holds::] What reasure type (Boss Monster Concepts::Boss::holds::] Wh			
Active Hyperlink Applied Stereotype Instance Owned Comment Owned Element Defining Feature Owning Instance Owning Instance What reasure type (Boss Monster Concepts::Boss::holds::] Yhas treasure type (Boss Monster Concepts::Boss::holds::] What reasure type (Boss Monster Concepts::Boss::holds::] Concept Modeling Profile::Subproperty Chain (Boss Value The value or values held by the Slot.			
Active Hyperlink Applied Stereotype Instance Owned Comment Owned Element Defining Feature Owning Instance Owning Instance What reasure type (Boss Monster Concepts::Boss::holds::] Yhas treasure type (Boss Monster Concepts::Boss::holds::] What reasure type (Boss Monster Concepts::Boss::holds::] Wh		1 Unive	
Active Hyperlink Applied Stereotype Instance Owned Comment Image: Stereotype Instance Owned Element Image: Stereotype Instance Owned Element Image: Stereotype Instance Owning Feature Image: Active Hyperlink Owning Instance Image: Stereotype Instance Owning Instance Image: Stereotype Instance Owning Instance Image: Stereotype Instance Value Image: Stereotype Instance		• value	
Active Hyperlink Applied Stereotype Instance Owned Comment Image: Stereotype Instance Owned Element Image: Stereotype Instance Owned Element Image: Stereotype Instance Owning Feature Image: Active Hyperlink Owning Instance Image: Stereotype Instance Owning Instance Image: Stereotype Instance Owning Instance Image: Stereotype Instance Value Image: Stereotype Instance			
Active Hyperlink Applied Storeotype Instance Owned Comment U held by [Boss Monster Concepts::Boss::holds::] Owned Element U held by [Boss Monster Concepts::Boss::holds::] Owning Feature O + chain : UML Standard Profile::UML2 Metamodel::Pr Owning Instance U held by the Slot. Value The value or values held by the Slot.			l l l l l l l l l l l l l l l l l l l
Active Hyperlink Applied Streatype Instance Owned Comment V held by (Boss Monster Concepts::Boss::holds::) Owned Element V has treasure type (Boss Monster Concepts::Boss::holds) Defining Feature Owning Instance Image: Subproperty Chain (Boss) Value The value or values held by the Slot.			
Active Hyperlink Applied Streatype Instance Owned Comment V held by (Boss Monster Concepts::Boss::holds::) Owned Element V has treasure type (Boss Monster Concepts::Boss::holds) Defining Feature Owning Instance Image: Subproperty Chain (Boss) Value The value or values held by the Slot.			
Applied Stereotype Instance Owned Comment Owned Element Defining Feature Owning Instance Walue Yalue			< >
Owned Comment Image: Phale by (Boos Monster Concepts::Boos::holds::] Owned Element Image: Phas treasure type (Boos Monster Concepts::Boos::holds) Defining Feature Image: Phas treasure type (Boos Monster Concepts::Boos::holds) Owning Instance Image: Phase treasure type (Boos Monster Concepts::Boos::holds) Value Image: Phase treasure type (Boos Monster Concepts::Boos::holds)			
Owned Element Image: held by [Boss Monster Concepts::Boss::holds::] Owning Feature Image: held by the Slot. Owning Instance Image: concept Modeling Profile::Subproperty Chain [Boss Value The value or values held by the Slot.			
Owned Element Image: Transmitted in the second		Owned Comment	
P has treasure type [Boss Monster Concepts::Boss::holds Defining Feature Owning Instance Value The value or values held by the Slot.		o and shared	V held by [Boss Monster Concepts::Boss::holds::]
Owning Instance Image: Concept Modeling Profile::Subproperty Chain (Boss Value The value or values held by the Slot.		Owned Element	V has treasure type [Boss Monster Concepts::Boss::holds
Owning Instance Image: Concept Modeling Profile::Subproperty Chain (Boss Value The value or values held by the Slot.		Defining Feature	+chain + LIML Standard Profile + LIML2 Metamodel + Pr
Value The value or values hald by the Slot.		_	
The value or values held by the Slot.		Owning Instance	Concept Modeling Profile::Subproperty Chain (Boss
Type here to filter properties			
		Q Type here to filter properties	

2. The property is removed from the property chain.



3. In the Order Value dialog, select the property you want and click either Up or Down accordingly. Click OK.



4. Click Close. The properties in the property chain have been switched.

Related pages

- UsageCreating a concept modelCreating a property chain