

Publishing from command-line interface

On this page

- [Configuring publishing properties](#)
- [Publishing a Cameo Collaborator for Teamwork Cloud document](#)
- [Scheduling to publish a document](#)
- [Improving publishing performance](#)

Cameo Collaborator for TWC allows you to publish your models using the command-line interface. This option is useful if you want to publish them periodically, e.g., once a day or during non-business hours to save time.



Publishing prerequisites

To be able to publish models to Cameo Collaborator for Teamwork Cloud:

- [The Cameo Collaborator Publisher plugin must be installed in your modeling tool.](#)



Project permissions

When you publish a new document, it inherits [Teamwork Cloud project permissions](#). When you update a document, project permissions are not affected.

- The model you are trying to publish must be stored in Teamwork Cloud. If you want to publish a local model, first [add it to Teamwork Cloud](#).

Publishing from the command-line interface consists of these steps:

- If you intend to publish a large model, increase the default JVM heap size of the Cameo Collaborator Publisher plugin as follows:
 1. [Configuring publishing properties](#)
 2. [Publishing a Cameo Collaborator for Teamwork Cloud document](#) or [scheduling publishing as a background task](#)
 - The `publish.bat` file on Windows.
 - The `publish.sh` file on OS X or Linux.

Configuring publishing properties

2. Increase the `Xmx` value, e.g., `-Xmx4000M`. It is recommended to set a larger heap size value than the one defined for your modeling tool.

Before publishing a [project](#) from the command-line interface, specify publishing properties by modifying a properties file. You can modify the file for every model you publish or reuse it for several models if you do not need to change the values of publishing properties.

3. Save and close the file.

- Depending on the size of the model you intend to publish, [allocate a sufficient amount of memory](#) to your modeling tool:

To configure the properties for publishing to Cameo Collaborator

- 1 million element model - 38 GB of RAM
1. In the `<modeling tool installation directory>/plugins/com.nomagic.collaborator.publisher` directory, open the `template.properties` file.
 2. Read the comments and specify the values of the following properties (or leave the default values if they do not need to be changed):

```
#
# Teamwork Cloud server properties:
#

# Specify the Teamwork Cloud server user name and password.
server_username=<userName>
server_password=<passWord>

# Specify the Teamwork Cloud server address.
# If the connection between the server and your modeling tool is encrypted, type https in front of the
server address.
server_uri=<localhost>

# Set to true if the Teamwork Cloud server is configured to use SSL certificates.
#server_use_ssl=false

#server_use_encrypted_password=false

# Set to true if you want to update used projects to the newest versions when publishing.
#require_update_module=false

#
# Project properties:
#

# Specify the project name.
project=<project>
```

```

# If you want to publish a specific branch of the project, specify the branch name.
# This property is optional.
# If this property is not specified project is loaded from trunk.
# If project_version property is specified, branch_name property will be ignored.
#branch_name=branch1

# If the project is password-protected, specify the project password.
#project_password=password

#
# Document properties:
#

# Specify the name of the Cameo Collaborator document.
document_name=MyDocument

# Specify the name of the category where you want to publish the document.
category_name=myCategory

# Specify the full qualified name of the model element containing the model data you want to publish.
# For multiple scope elements, separate entries with semicolon (;).
scope=Model

# Specify the server ID of the model element containing the model data you want to publish.
# specify either the scope or scope_by_element_server_id property.
# For multiple scope elements, separate entries with semicolon (;).
#scope_by_element_server_id=<element.server.id>

# Specify the name of the Document element in the template you intend to use for publishing.
template_name=Entire Model

# Specify the document template which will be used in the active project and committed.
# For example:
# myModule
# myModule##myBranch
# myModule##myBranch##version
#template_module=<my.module>

# Specify the comments location:
# comments_in_document - all new comments will be stored in the document.
# comments_in_project_without_import - all new comments will be stored in the project. Existing
comments will not be migrated.
# comments_in_project_with_import - all new comments will be stored in the project. Existing comments
will be migrated.
# NOTE: You need to specify Cameo Collaborator for Teamwork Cloud URL in order to migrate comments to
the project.
# By default comments are saved in the document.
#comments_location=comments_in_document

# Set to true to enable model editing from the document.
#enable_editing=true

# Set to true to enable commenting.
enable_commenting=true

# Set to true to update the existing document with the same name.
overwrite_existing_document=true

# Set to true in order to publish the project as an OSLC resource.
#mark_resource_as_oslc=true

```

3. Save and close the file.



Specifying the project version and branch

There are four possible outcomes, depending on which of the **project_version** and **branch_name** properties you specify:

Publishing a Cameo Collaborator for Teamwork Cloud document

- If both properties have default values, the latest available version of the model is published (either the Trunk version or the Branch version).
- If you specify only the version number (the **branch_name** property has the default value), the specified Trunk version of the model is published.
- If you specify only the branch name (the **project_version** property has the default value), the latest version of the specified branch of the model is published.

To publish a Cameo Collaborator document from the command-line interface, you need to execute a specific command, outlined below.

1. Open the command-line interface.
2. Go to the `<modeling tool installation directory>/plugins/com.nomagic.collaborator.publisher` directory containing the executive file for model publishing. The executive file is the corresponding `.sh` or `.bat` file depending on your operating system and the version of your modeling tool.
3. In the command line, type the following command:

- On Windows:

```
publish.bat -properties template.properties
```

- On OS X or Linux:

```
./publish.sh -properties template.properties
```



Important

These commands are valid only if the name of the actual executive file matches the name included in the command, e.g., `publish.bat`. Before executing the command, check the executive file name, and, if needed, change it to match the name in the command.


After completing the steps above, your model is published to Cameo Collaborator. If you want to publish the same model frequently, you do not need to do it manually every time. Instead, schedule publishing as a background task to save time.

Scheduling to publish a document

If you need to publish your models periodically and/or during non-business hours, you can schedule them to be published automatically. The following procedures describe the scheduling process on Windows and Linux operating systems.

To schedule a publishing task on Windows

1. Open the **Task Scheduler** from the **Start** menu of your Windows computer and select the option to create a basic task.
2. Type the task name, an optional description and click **Next**.
3. Select how often you want the task to reoccur and click **Next**.
4. Specify when you want the task to start and click **Next**.
5. To schedule the publishing to start automatically, select the **Start a program** radio button and click **Next**.
6. Click the **Browse** button, go to the `<modeling tool installation directory>/plugins/com.nomagic.collaborator.publisher` directory, and open the `publish.bat` file.
7. In the **Add Arguments (optional)** box, type `-properties template.properties` and click **Next**.



8. Click **Finish**.

To schedule a publishing task on Linux

1. Connect to the remote server using SSH, or open the terminal directly.
2. Type the following command to open the `crontab` file with the default text editor:

```
# crontab -e
```

3. Using the Cron syntax create a *cronjob* to run the model publishing task once a day at midnight:

```
0 0 * * * <modeling tool installation directory>/plugins/com.nomagic.collaborator.publisher/publish.sh -
properties template.properties
```

4. Save the `crontab` file.

After completing the steps described above, your model is published automatically on a regular basis at a specified time.


Improving publishing performance

You can improve publishing performance by changing environment options in your modeling tool, as described below.

To improve publishing performance

1. In the main menu of your modeling tool, select **Options > Environment**.
2. On the left side of the **Environment Options** dialog, select the **Collaboration** option group.
3. On the right side of the dialog, set the **Notify About New Project Versions on the Server** option to *false*.
4. On the right side of the dialog, set the **Notify About Newer Project Usages** option to *Never*.
5. Click **OK**.

Now Teamwork Cloud will use fewer connections when publishing, so the publishing performance will improve.



Changing the highlighted environment options improves publishing performance.

Related pages

- [Publishing Cameo Collaborator for Teamwork Cloud documents](#)

- Publishing from graphical user interface