






Excluding some nodes when copying data



The **Copy Data with Sync** operation has been enhanced. It no longer requires you to map the whole set of data before copying data. With the **Copy Data with Sync** operation, DataHub can exclude data types that you do not map when you select  **<NON-MAPPING>** as the target type and select the **Exclude all unmapped nodes from DHLinks** check box, and these nodes will not be copied. Alternatively, DataHub allows you to create the schema mapping for the selected nodes as **Exclude** by selecting the  **<EXCLUDED>** target type. You can also include the portion of data that has been excluded later.


To exclude a portion of data while copying with DHLink

1. From the **Operation** drop-down list in DataHub Explorer, select **Copy Data with Sync**. The **Copy Data with Sync** dialog opens.
2. [Map the data types that you need to copy.](#)
3. Exclude nodes from being copied by doing one of the following


- Selecting the  **<NON-MAPPING>** target type and the **Exclude all unmapped nodes from DHLinks** check box.
- Selecting the  **<EXCLUDED>** target type.




4. Click **OK** to start copying the data. The copied data are indicated with the  symbols, and the data which is not copied are indicated with the  symbols.



To include previously excluded data into a scope set

1. Double-click a node marked with a  symbol. The **DH Links** panel appears.
2. Right-click the relation table and select **Include Node**.



Information

When you synchronize data next time, DataHub will recognize it as a newly added node to the target side.