Creating and managing Block properties

On this page

- · Using the smart manipulator
 - Creating a property for a Block
 - Removing a Block property from the Block shape
 Deleting a Block property from the model
- Using the Specification window

When the same Block is represented in several SysML Block Definition Diagrams, all Association roles are represented in the Block compartment area.

You can create and manage the Block properties in several ways:

- Using the smart manipulator
- Using the Specification window

Using the smart manipulator

- Creating a property for a Block
- Removing a Block property from the Block shape
- Deleting a Block property from the model

Creating a property for a Block

You can create and manage properties for a Block directly on the diagram pane by using the symbol smart manipulators.

To create a property for a Block

- 1. Select the Block shape.
- 2. Click [©] smart manipulator.
- 3. From the opened menu select the property you want to create for a Block.



4. Type its name.



5. Specify its type.



The property is created and displayed on the Block shape in the compartments area.



Removing a Block property from the Block shape

To remove a Block property from the Block shape

- 1. Select the property on Block shape.
- 2. Press Delete.

The property is removed from the Block compartments but not from the model.

Deleting a Block property from the model

To delete a Block property from the model

- 1. Right-click the property on Block shape.
- 2. From the shortcut menu select the Select in Containment Tree command. The property is selected in the Containment tree.
- 3. Do either:
 - Press Delete.
 - Right-click and from shortcut menu select the Delete command.

Deproperty is shared with other people, the Question dialog opens. You can then confirm or cancel the Delete command.

The Block property is removed from the model.

Using the Specification window

All owned and inherited Block properties are collected on the left of the Block Specification window > **Properties**. Block properties are grouped in the Block compartments. Manage them by creating, redefining or deleting directly in the General Specification pane.

Specification of Block FuelTan	kAssembly	
Block properties The Properties node contains a lis properties specification button to	t of Block properties. Create or delete properties. U edit properties of a specific attribute.	se the
🔳 🗽 🖸 💋	Properties	
FuelTankAssembly Documentation/Hyperlinks Usage in Diagrams Usage In Constraints Ports/Interfaces Properties Operations Behaviors Relations Allocations Instances	∰ ĝi Bi ⊡‡ ⊡‡ abc	
	Name Type Default Va	lue Owner
	Flow Properties	
	in fuelSupply 🔄 Fuel [HS	🔲 FuelTankAssembly 📰
	out fuelReturn 🔛 Fuel [HS	🔲 FuelTankAssembly 📰
	Part Properties	
	fp 🔄 FuelPump	FuelTankAssembly
	Reference Properties	
	Fuel [HS	FuelTankAssembly
	L Value Properties	
	Tueiweight	
	Up Down Create	Redefine Delete
		Close Help

Column name	
Name	Property name.
Туре	Property type.
Default Value	Property default value.
Owner	Block name that contains the current property.

Button name	Description
==	Opens the Specification window of the selected property.
Create	Opens the list of available properties to create. Click to create the Connector property, Part property, Reference property, Value property, Constraint property, Flow property.
Redefine	Duplicates the selected item and marks its name in ascending order.
Delete	Removes the selected item from the list.