Creating and specifying derived properties

To be included in a MagicDraw project as a property extending a UML element, an attribute must be owned by a DSL customization element and stereotyped as «derivedPropertySpecification».

To create and specify a derived property

specification

1. Select the customization element for which you want to create a derived property.

derived property will be created for the stereotype or metaclass, defined as a customization target in the selected customization element

Select Create Element > Derived Property Specification from the shortcut menu. The attribute is created.
 Containment



3. Type the attribute name. Your Model Browser should look like this at this stage:



the attribute's name corresponds to the name of the derived property.

4. Edityproperiy values specifying the carive oppoperty matter at the intersection window.

Alproperties are specified in the general specification pane. Some are also specified in the **Tags** specification pane. For detailed information, see the properties description table.

0

The following table describes the properties specified for the derived property.

Property	Description
Name	The name of the property. This name will be added and visible in the specification of the element whose type is defined as a customization target.

 \oslash

⊤∳pe u do not see	e the exple of the deliver property values? For may sore provide events type or a date type (el.g. vistring, boolean, or integer from the UML Standard Profile) as a property value.			
 In the e 				
this mo	d Sdisplay classes and components as property values, select the classifier as a type for the derived property value.			
 If you h 	айе вресшей те derived property for the element (with the Used Owl Properties property of DSL customization specified) you must			
add the Multiplicity visibility	newly created derived property to the element's visible properties list. For detailed information, please refer to Derived properties The multiplicity of the derived property values.			
	Remultiplicity is "01", the derived property value will be shown as single.			
	If the multiplicity is "0*", the derived property values will be shown as collection.			
Is Read Only	If <i>true</i> , the derived property is read-only. You cannot edit the result elements for the derived property value. If <i>false</i> , the property is read-write. You can edit the result elements for the derived property according to the expressions defined.			
Is Ordered	If <i>true</i> , the property values are always displayed in the same order. If <i>false</i> , the property values are displayed in nonpredictable order.			
Is Unique	If <i>true</i> , the property values are unique. The same element is displayed only once. If <i>false</i> , the property values may be displayed more than once.			
Expression	One or more expressions of the derived property. An expression defines the criterion for selecting result elements.			
	There are ten possible expression types:			
	 Metachain navigation (indirect relations through chains of properties) Find Union Exclude Filter Various scripts Implied Relation Type Test Property Test Operation from Model 			
	The criterion for selecting the result elements can also be any combination of the expression types above. For the detailed information, see Defining expressions.			
	one Simple Navigation operation criterion can be assigned to the expression of the derived property.			
Documentation	The text displayed as the derived property description in the element's Specification window and Properties panel.			
customization	The specified derived property will be added to one or more element types (stereotypes and/ or metaclasses).			
	the expression calculations begin from the element type of the customization target.			

Specification of Derived Property	Specification myDerivedProperty		×			
Specification of Derived Property Specification properties Specify properties of the selected Derived Property Specification in the properties specification table. Choose the Expert or All options from the Properties drop-down list to see more properties.						
🗉 Be 🔽 💋	myDerivedProperty					
	Interface Is ID Realizing Element Specifying Element Qualified Name Type Name Expression (This property is read-only because it is used for the re The StringExpression used to define the name of this N	Properties:	All v rivedProperty e::MagicDr v			
< >	Q Type here to filter properties					
		Close Back Forward	Help			

The Specification window of the derived property

Related pages:

- Extending Metamodel with Derived Properties
 Using Customization Data
 Creating Customization Data
 Defining Expressions