Operational Conditions Table

On this page

- Creating an Operational Conditions Table
- Creating Operational Conditions

An Operational Conditions Table allows you to define and manage various Operational Conditions that will be used as a part of an Operational Situation. Essentially, the Operational Conditions table acts as a library for functional safety analysis. To identify Operational Conditions, you can use five predefined Operational Condition groups: Location, Road Condition, Traffic and People, Vehicle Usage, and Environmental Condition. If you want to define an additional group, extend the group list by extending the ISO 26262 library.

Crite		temove From Table 🛛 🛒 🔹 💧 🖶 🔷 🤍 🎽 🎽 🎽 👘 🗸 👘 🖬 🗸 📜 🗸 🗍 🔲 🗸 🗍
Eler	ment Type: OperationalSituation Scope (optional): e,Vel	hideUsage,EnvironmentalCondition 💱 🛄 Filter: 🕎
#	Name	Documentation
1	🕀 🚽 Location	
12	E A RoadCondition	
13	AnyRoadCondition	
14	A Road Widths	
15	A Road Friction	
16	A Snow	
17	A Dry	
18	A Ice	
19	A Wet	
20	S TrafficAndPeople	
21	8 AnyTrafficAndPeople	
22	8 Traffic Free Flow	
23	8 Non-motorist Arround or In Path of Vehicle	
24	8 High Speed Difference	
25	Traffic Synchronized Flow	
26	🖭 🚔 VehideUsage	
39	🗄 🌾 EnvironmentalCondition	

An example of Operational Conditions Table.

Creating an Operational Conditions Table

Create an Operational Conditions Table as described below.

To create an Operational Conditions Table

- 1. In the Containment tree, select the element that you want to be the owner of the table.
- 2. Do one of the following:
 - In the main menu, go to Diagrams > Create Diagram, then select Operational Conditions Table in the open dialog.

• In the Containment tree, right-click the owner of the table, select Create Diagram and select Operational Conditions Table in the open dialog.

Containment		@ # ×
P\$ 🞼 🖻 🏠 Q		- (
 → Model → 1 Hazard Analysis → 1.1 HazOp → 1.2 Operations → 1.3 Accident S → 1.4 Effects → 1.5 HARA → 1.6 Libraries → 1.6 Libraries → 1.6 Libraries → 2 Functional Safe → 2 Safety Req Custo → 2 System → 2 System → 2 System Functions → 1 Addata 	al Situations cenario	*
	Simulation	*
	Views and Viewpoints	*
	UML Diagrams	× 🗸
	Standard	

Enable the Expert mode able to create an Operational Conditions Table, you need to enable the Expert mode.

3. When the table is created, type the name of the table and press Enter.

After completing the above steps, an Operational Conditions Table with five predefined Operational Condition groups is created. The scope and element type of the table are already specified for you.

Creating Operational Conditions

There are two ways to create an Operational Condition: you can do it right in an Operational Conditions Table or in the Containment tree.

To create an Operational Condition in the Containment tree

1. In the Containment tree, right-click the owner of a new element and select Create Element.

2. In the open window, select the Operational Condition group (Vehicle Usage, Traffic and People, Location, Road Condition, or Environmental Condition) for which you want to create an Operational Condition.

Contributed
Containment 🕑 🖗 🗙
喀 咳 🛱 🏠 🔾 🧳
Image: Section of the section of th

3. When an Operational Condition is created, type the name of the element and press Enter.

When you create an Operational Condition in the model browser, it is automatically added to an Operational Conditions Table if it exists.

To create an Operational Condition in an Operational Conditions Table

- 1. In an Operational Conditions Table, select the Operational Condition group (Vehicle Usage, Traffic and People, Location, Road Condition, or Environmental Condition) for which you want to create an Operational Condition or select an existing element in that group.
- 2. Do one of the following:

• In the table toolbar, click Create an element of the same level as the one you have selected.

- In the table toolbar, click to create an element nested under the selected element.
- 3. Type the name of the new element and press Enter.