Associating an annotation property with an annotation

The UML comment specification dialog allows you to select a particular kind of annotation property for each annotation.

To select a type of annotation property for an annotation

Double-click an Annotation (Literal/IRI/Comment) on the diagram pane. The Specification window of the selected Annotation will open.
 Select Tags on the left-hand side list and select annotationProperty.

Specification of Comment This represents any item physical or electronic that can be lent out by a library.				
Element tagged value specification Select a tag and click the Create Value button to create new value for it.				
🖬 🔁 🖉 Tags				
This represents any item physical Commentation/Hyperlinks Commentation/Hyperlinks Commentation/Hyperlinks Constraints Constraints Traceability	Profile: <pre></pre>	Property: Image: annotationProperty : AnnotationProperty[1] Image: select tag and click Create Value to create new value for it.		
< >	Create Value Edit Value			
		Close Back Forward Help		

Selecting an annotation property tagged value.

3. Click Create Value. The Select Property dialog will open (see the following figure).

💽 Select Property « Annotation Property»	X			
Select, search for, or create elements Search for an element by using list or tree views. To find an element type text or wildcard (*,?) into the "Search by Name" input field. Search elements by their qualified names or use camel case when searching if the appropriate mode is enabled.				
QrSearch by Name				
면 Tree # List				
	89 matches found with filter applied			
Image: Second system Specification Image: Specification Specification <t< td=""><td></td></t<>				
	() Multiple Selection			
	OK Cancel Help			

Selecting explanatory note as the Annotation Property tagged value. 4. Select an Annotation Property and click OK. The selected Annotation Property will be created for the Annotation (see the following figure).

💽 Specification of Comment This represents any item physical or electronic that can be lent out by a library.				
Element tagged value specification Select a tag and click the Create Value button to create new value for it.				
🖬 🔁 🔁 💋	Tags			
This represents any item physical Commentation/Hyperlinks Commentation/Hyperl	Profile: <all> □ □ □ □ □ □ □ - □ □ - □ □ - □ □ - □ □ - □ □ - □ □ - □ □ - □ □ - □ □ - □ □ - □ □ □ □ □ □ □ □ □ □</all>	Property:		
< III >	Remove Value Edit Value	↑ ↓ < + =		
	Close	Back Forward Help		

Showing the Annotation Property tagged value of the Annotation in the Specification window.

In this example, the annotation property explanatory note is a UML property stereotyped with «Annotation Property».

Related pages

Usage